

# SAFETY DATA SHEET

Revision: 1.1 Date: 27.10.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010



www.vishaypg.com

## PLH-10/PLMH-1/PMCH-1

### 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>1.1 Product identifier</b>	
Product Name	PLH-10/PLMH-1/PMCH-1
Chemical Name	Triethylenetetramine (TETA)
CAS No.	112-24-3
EINECS No.	203-950-6
REACH Registration No.	None assigned.
<b>1.2 Recommended use of the chemical and restrictions on use</b>	
Identified Use(s)	Photostress® measurements.
Uses Advised Against	None.
<b>1.3 Supplier's details</b>	
Company Identification	Vishay Measurements Group, Inc. Post Office Box 27777 Raleigh, NC 27611 USA
Telephone	919-365-3800
Fax	919-365-3945
E-Mail (competent person)	mm.us@vishaypg.com
<b>1.4 Emergency Phone No.</b>	1-800-424-9300 (U.S.) 703-527-3887 (Outside U.S.) CHEMTREC

### 2. SECTION 2: HAZARDS IDENTIFICATION

<b>2.1 Classification of the substance or mixture</b>	
<b>2.1.1 GHS Classification</b>	Met. Corr. 1; May be corrosive to metals. Acute Tox. 4; Harmful in contact with skin. Skin Corr. 1B; Causes severe skin burns and eye damage. Skin Sens. 1; May cause an allergic skin reaction. Aquatic Chronic 3; Harmful to aquatic life with long lasting effects.
<b>2.2 Label elements</b>	According to GHS Classification PLH-8/PLMH-1/PMCH-1
Product Name	
Hazard Pictogram(s)	 
Signal Word(s)	Danger
Hazard Statement(s)	H290: May be corrosive to metals. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H317: May cause an allergic skin reaction. H412: Harmful to aquatic life with long lasting effects.
Precautionary Statement(s)	P234: Keep only in original container. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

# SAFETY DATA SHEET

Revision: 1.1 Date: 27.10.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vishaypg.com

Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a POISON CENTER or doctor/physician.  
None.

## 2.3 Other hazards

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

GHS Classification

Chemical identity of the substance	%W/W	CAS No.	EC No.	Hazard Statement(s)
Triethylenetetramine (TETA)	100	112-24-3	203-950-6	Acute Tox. 4; H312 Skin Corr. 1B; H314 Skin Sens. 1; H317 Aquatic Chronic 3; H412

#### 3.2 Mixtures Not applicable.

### 4. SECTION 4: FIRST AID MEASURES



#### 4.1 Description of first aid measures

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin Contact

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If irritation (redness, rash, blistering) develops, get medical attention.

Eye Contact

IF IN EYES: Flush eyes with water for at least 15 minutes while holding eyelids open. Remove contact lenses if worn. Get medical attention if eye irritation develops or persists. Continue irrigation until medical attention can be obtained.

Ingestion

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink two glasses of water. Get medical attention immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes damage to organs through prolonged or repeated exposure. Causes severe burns to skin, eyes, respiratory system and gastrointestinal tract. Fluid build up on the lung (pulmonary oedema) may occur up to 48 hours after exposure and could prove fatal.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Chemical eye burns may require extended irrigation. Obtain prompt consultation, preferably from an ophthalmologist.

### 5. SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable Extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing Media

Do not use water jet.

#### 5.2 Special hazards arising from the substance or mixture

May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon dioxide, Nitrogen oxides.

#### 5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

# SAFETY DATA SHEET

Revision: 1.1 Date: 27.10.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vishaypg.com




## 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- |  |   |
|--|---|
| <b>6.1 Personal precautions, protective equipment and emergency procedures</b> | Ensure adequate ventilation. Shut off leaks if without risk. Avoid contact with skin, eyes or clothing. Avoid breathing vapours. Wear protective gloves/protective clothing/eye protection/face protection. |
| <b>6.2 Environmental precautions</b>   | Do not allow to enter drains, sewers or watercourses.   |
| <b>6.3 Methods and material for containment and cleaning up</b>                | Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste.                                  |
| <b>6.4 Reference to other sections</b>   | See Section: 8, 13  |

## 7. SECTION 7: HANDLING AND STORAGE

- |  |   |
|--|---|
| <b>7.1 Precautions for safe handling</b>   | Ensure adequate ventilation. Do not breathe mist/vapours/spray. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. |
| <b>7.2 Conditions for safe storage, including any incompatibilities</b><br>Storage temperature<br>Storage life<br>Incompatible materials | Store in a well-ventilated place. Keep container tightly closed. Keep away from heat and direct sunlight.<br>Ambient.<br>Stable under normal conditions.<br>Keep only in original container. Keep/store away from: Oxidizing agents.<br>Storage vessels should not be made of: Copper, Aluminium, or Brass.                                       |
| <b>7.3 Specific end use(s)</b>   | Photostress® measurements.  |

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- |   |   |
|---|---|
| <b>8.1 Control parameters</b>   |   |
| <b>8.1.1 Occupational Exposure Limits</b>   | Not established.  |
| <b>8.1.2 Biological limit value</b>   | Not established.  |
| <b>8.1.3 PNECs and DNELs</b>  | Not established.  |
| <b>8.2 Exposure controls</b>  |   |
| <b>8.2.1 Appropriate engineering controls</b>   | Ensure adequate ventilation.  |
| <b>8.2.2 Individual protection measures, such as personal protective equipment (PPE)</b>                      | Use personal protective equipment as required. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Guarantee that the eye flushing systems and safety showers are located close to the working place.                      |
| Eye/face protection<br>    | Wear goggles giving complete protection to eyes to protect against liquid splashes (EN166).   |
| Skin protection<br>        | Wear impervious gloves (EN374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Wear chemical resistant apron. Wear suitable protective clothing. Unsuitable gloves materials                 |
| Respiratory protection<br> | Wear suitable respiratory protective equipment if exposure to high levels of material are likely. When no local exhaust ventilation is available, use a properly fitted, air-purifying or air-fed respirator complying with an approved standard. |
| Thermal hazards   | Not applicable.   |
| <b>8.2.3 Environmental Exposure Controls</b>  | Avoid release to the environment.   |

# SAFETY DATA SHEET

Revision: 1.1 Date: 27.10.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vishaypg.com

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	Yellow Coloured liquid.
Odour	Amine-like Odour
Odour Threshold	Not available.
pH	Not established.
Melting Point/Freezing Point	Not established.
Initial boiling point and boiling range	277°C (Mixture)
Flash point	149°C (Setaflash)
Evaporation Rate	<1 (BuAc = 1)
Flammability (solid, gas)	Non-flammable
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	<1.3e-3 kPa at 20°C
Vapour density	5 (Air = 1)
Relative density	0.98 (H2O = 1)
Solubility(ies)	Soluble in water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

### 9.2 Other information

None.

## 10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	May decompose in a fire giving off toxic fumes.
10.4 Conditions to avoid	Keep away from heat and flame.
10.5 Incompatible materials	Keep away from: Oxidizing agents.
10.6 Hazardous decomposition product(s)	Carbon monoxide, Carbon dioxide, Oxides of nitrogen.

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects (Substances in preparations / mixtures)

#### Acute toxicity

Ingestion	Will cause corrosion of and damage to the gastrointestinal tract.
Inhalation	May cause respiratory irritation.
Skin Contact	Acute Tox. 4; (Dermal). May cause sensitization by skin contact.
Eye Contact	Causes serious eye damage.

#### Irritation

Not classified.

#### Corrosivity

Skin Corr. 1B; Causes severe damage to eyes and skin.

#### Sensitisation

Skin Sens. 1; May cause sensitization by skin contact.

#### Repeated dose toxicity

Not classified.

#### Carcinogenicity

No evidence of carcinogenicity.

#### Mutagenicity

There is no evidence of mutagenic potential.

#### Toxicity for reproduction

Not classified.

### 11.2 Other information

NTP: Not Listed  
IARC Monographs: Not Listed  
OSHA Regulated: Not Listed

## 12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Toxic to aquatic life with long lasting effects. (Aquatic Chronic 3). TETA is
---------------	---

# SAFETY DATA SHEET

Revision: 1.1 Date: 27.10.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vishaypg.com

12.2	Persistence and degradability	resistant to biodegradation in biological wastewater treatment plants. It could be toxic to the biomass in a treatment plant and could be toxic to fish.
12.3	Bioaccumulative potential	The product is poorly biodegradable.
12.4	Mobility in soil	The product has low potential for bioaccumulation.
12.5	Results of PBT and VPVB assessment	The product is predicted to have high mobility in soil. Soluble in water.
12.6	Other adverse effects	Not classified as PBT or vPvB. None known.

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	This material and its container must be disposed of as hazardous waste. Send after pre-treatment to a appropriate hazardous waste incinerator facility according to legislation.
13.2	Additional Information	Dispose of contents in accordance with local, state or national legislation.

## 14. SECTION 14: TRANSPORT INFORMATION

		<b>ADR/RID / IMDG / IATA</b>
14.1	UN number	UN 2259
14.2	Proper Shipping Name	TRIETHYLENETHETRAMINE
14.3	Transport hazard class(es)	8
14.4	Packing group	II
14.5	Environmental hazards	Not classified as a Marine Pollutant. / Environmentally hazardous substance
14.6	Special precautions for user	Causes burns to skin and eyes.
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
14.8	Additional Information	None.

## 15. SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	Not available.
15.2	Chemical Safety Assessment	Not available.

## 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

**References:** Existing Safety Data Sheet (SDS) and Harmonised Classification(s) for Triethylenetetramine (CAS# 112-24-3).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Met. Corr. 1; H290	T.D.G. Classification
Acute Tox. 4; H312	Harmonised Classification
Skin Corr. 1B; H314	Harmonised Classification
Skin Sens. 1; H317	Harmonised Classification
Aquatic Chronic 3; H412	Summation Calculation

### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level

# SAFETY DATA SHEET



Revision: 1.1 Date: 27.10.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

[www.vishaypg.com](http://www.vishaypg.com)

PNEC	Predicted No Effect Concentration
PBT	PBT: Persistent, Bioaccumulative and Toxic
vPvB	vPvT: very Persistent and very Toxic
NTP	National Toxicology Program
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
OSHA	Occupational Safety and Health Standards

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

## Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

## Annex to the extended Safety Data Sheet (eSDS)

No information available.